

RIKA Innovative Ofentechnik GmbH AT-4563 Micheldorf, Müllerviertel 20

13

15-CPR-07.2013

FN132	40.2001	/A2:2004/	/AC-2007

Notified Body: 1746

Space heating in residential buildings without Intended use:

possible supply of hot water

IMPOSA R3 Name:

Descriptioin: space heating appliances fired by wood logs - system 3

Height	1193 mm	
Width		578 mm
Depth		516 mm
Fire safety		pass
	rear	200 mm
	sides	200 mm
Safety distance to combustible material	top	500 mm
	front	800 mm
	floor	0 mm
Emission of combustion products		pass
CO-Emmision at nominal heat output	< 0,12 %	
CO-Emmision at nominal heat output	< 1,25 g/Nm ³	
Release of dangerous substances	NPD	
Surface temperature	pass	
Electrical safety	pass (*)	
Cleanability	pass	
Durability	pass	
Mechanical resistance (to carry chimney)	NPD	
Maximum operating pressure	not applicable	
Flue gas temperature	231,9 °C	
at the measuring section at nominal heat output		
Flue gas temperature		278,3 °C
outlet at nominal heat output		270,5 €
Thermal output		pass
Nominal- / part load heat output	10,0 kW	5,0 kW
Nominal- / part load space heat output	10,0 kW	5,0 kW
Nominal- / part load water heat get output folder path	not applicable	not applicable
Efficiency		pass
Nominal- / part load Efficiency	81,9 %	81,7 %
recommended fuel type	wo	ood logs
Suitability for installation to a shared flue system		yes
Emission (addition)		
CO wood logs	g/Nm³	< 1,25
PM wood logs	g/Nm³	< 0,04
OGC wood logs	g/Nm³	< 0,12
NO _x wood logs	g/Nm³	< 0,20

and using the appliance! (*) only for models with RIKATRONIC

LLBlost_

Signed on behalf of the manufacturer

Andreas Bloderer / product manager

Micheldorf, 15.11.2022

Place and date of issue